



# 60 Series Premium Pocket Testers

pH, ORP, Conductivity/TDS/Salinity, Temp.



Durable design:  
IP67 Waterproof  
& Dustproof



Easy-to-install  
Replaceable Probes



Powered by AAA batteries,  
up to 2000 hours of  
operation time


## Display Features



Measurement  
Mode

Calibration  
Mode

Heads-Up  
Mode



## Probe Features

6 Models for your  
choice



PH60  
(Glass Bulb)

General water solution  
pH Test

PH60F  
(Flat Glass)

Surface and  
micro-volume pH  
Test

PH60S  
(Spear Glass)

Solid/Semi-Solid  
pH Test

ORP60  
(Platinum)

ORP Test

EC60  
(Platinum Black)

Conductivity/TDS/  
Salinity Test

PC60  
(Glass Bulb &  
Platinum Black)

pH/Cond./TDS/  
Salinity Test

Applications



Test anywhere



Micro-Volume  
pH Test



Skin pH Test



Food pH Test

## 60 Series ■ Premium Pocket Testers



	PH60	PH60F	PH60S	
<b>pH</b>	Measuring Range	-2.00 to 16.00 pH		
	Resolution/Accuracy	0.01pH / ±0.01 pH		
	Calibration	1 to 3 points Auto Calibration		
<b>ORP</b>	Measuring Range	±1000 mV		
	Resolution/Accuracy	1 mV / ±0.2% F.S		
<b>Temp.</b>	Measuring Range	0 to 50.0 °C (32 to 122°F)		
	Temp. Compensation	Automatic 0 to 50.0 °C (32 to 122°F)		
<b>Others</b>	Heads-Up Function	Yes		
	Self-Diagnosis	Yes		
	Low-Battery Warning	Yes		
	IP Rating	IP67 Waterproof and Dustproof, Floatable		
	Power Supply	DC3V AAA batteries x4; Continuous working > 2000 hours		
	Sensor Model	PH60-E	PH60F-E	PH60S-E
	Application	General water solution's pH	Flat surface pH (fabrics, skin, paper) and micro-volume water solution's pH	Solid/Semi-Solid food samples (cheese, meat, fruit, sushi rice...) and soil's pH
Compatible Probes	PH60-E, PH60F-E, PH60S-E, ORP60-E			

